


External turning tools




Clamping Methods Introduction


D-Clamp Type




M-Multi Lock Type




S-Screw Clamp Type




W-Wedge Clamp Type



B-Clamp Holder



P-Lever Type



Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading

End Mill

Drill & Tap

Drilling & Boring

Tool Holder

Index Table-External Turning Holder

M

C

L

N

R

①

②

③

④

⑤

Method of Clamping

	Double Clamp Type	D
	Wedge Lock Type Heavy Cutting Double Clamp Type	M
	Lever Lock Type	P
	Wedge lock holding	B
	Top clamping	S

Insert Shape

C		80° Rhombic
D		55° Rhombic
R		Round
S		Square
T		Triangle
V		35° Rhombic
W		Trigon







Entering angle


A	90°	
B	75°	
D	45°	
E	60°	
F	91°	
G	90°	
U	93°	
K	75°	
L	95°	
N	63°	
P	62.5°	
Q	108°	
S	45°	
T	60°	
V	72.5°	
Z	93°	

Hand of Tool

R	Right Hand
L	Left Hand
N	Left Right

Insert Clearance Angle

N		0°
P		11°
C		7°
B		5°
E		15°
D		20°



⑥

⑥

⑦

⑧

Shank Size(mm)	
8	8
10	10
12	12
16	16
20	20
25	25
32	32

Tool Length(mm)	
D	60
E	70
F	80
H	100
K	125
M	150
P	170
Q	180
R	200

Cutting Edge Length(mm)						
Insert IC(mm)	Insert Shape					
	Square	Triangle	Round	80° Rhombic	55° Rhombic	35° Rhombic
6	-	-	06	-	-	-
6.35		11		06	07	11
7.94	-	13	-	-	-	-
8			08			
9.525	09	16	-	09	11	16
10	-	-	10	-	-	-
12	-	-	12	-	-	-
12.7	-	22	-	12	15	-
15.875	15	27	-	16	-	-
16	-	-	16	-	-	-
19.05	19	-	19	-	-	-
20	-	-	20	-	-	-
25	-	-	25	-	-	-
25.4	25	-	-	-	-	-
32	-	-	32	-	-	-

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading

End Mill

Drill & Tap

Drilling & Boring

Tool Holder

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring


Tool Holder

MCLNR/L




Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressing plate	Screw	Wrench
	h	b	L	L1	h1	f						
MCLNR/L1616H12	16	16	100	34	16	20	CN**1204	CN-M1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MCLNR/L2020K12	20	20	125	34	20	25						
MCLNR/L2525M12	25	25	150	34	25	32						
MCLNR/L3232P12	32	32	170	40	32	40						

PCLNR/L (Lever Clamp Design)




Ordering Code	Dimensions(mm)						Insert	Pad	Lever	Shim	Screw	Wrench
	h	b	L	L1	h1	f						
PCLNR/L1616H12	16	16	100	28	16	20	CN**1204	CN-P1203	GGX0514	DPX0606	NLJ0820	L3.0
PCLNR/L2020K12	20	20	125	28	20	25						
PCLNR/L2525M12	25	25	150	28	25	32						
PCLNR/L3232P12	32	32	170	30	32	40						
PCLNR/L2525M16	25	25	150	33	25	32	CN**1606	CN-P1604	GGX0617	DPX0808	NLJ0821	L3.0
PCLNR/L3232P16	32	32	170	33	32	40						
PCLNR/L3232P19	32	32	170	36	32	40	CN**1906	CN-P1904	GGX0820	DPX0909	NLJ1027	L4.0
PCLNR/L4040S19	40	40	250	40	40	50						
PCLNR/L4040S25	40	40	250	47	40	50	CN**2509	CN-P2506	GGX0925	DPX1312	NLJ1237	L5.0
PCLNR/L5050T25	50	50	300	47	50	60						

MCBNR/L




Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressing plate	Screw	Wrench
	h	b	L	L1	h1	f						
MCBNR/L1616H12	16	16	100	34	16	20	CN**1204	CN-M1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MCBNR/L2020K12	20	20	125	34	20	25						
MCBNR/L2525M12	25	25	150	34	25	32						
MCBNR/L3232P12	32	32	170	40	32	40						

DCLNR/L




Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressing plate	Screw	Spring	Wrench
	h	b	L	L1	h1	f							
DCLNR/L1616H12	16	16	100	32	16	20	CN**1204	CN-D1204	DXD0614	DYB2214	DGD0520	DTN0814	L4.0
DCLNR/L2020K12	20	20	125	32	20	25							
DCLNR/L2525M12	25	25	150	32	25	32							
DCLNR/L3232P12	32	32	170	35	32	40							
DCLNR/L3232P16	32	32	170	40	32	40	CN**1606	CN1604-D	DXD0614	DXB3216	NLJ0625	TH0913	L5.0
DCLNR/L3232P19	32	32	170	48	32	40	CN**1906	CN1906-D	DXD0614	DXB3719	NL0625	TH0913	L5.0
DCLNR/L4040S19	40	40	250	48	40	50							
DCLNR/L4040S25	40	40	250	56	40	50	CN**2509	CN2506-D	DXD0614	DXB4523	NL0830	TH1118	L6.0
DCLNR/L5050T25	50	50	300	56	50	60							

PCBNR/L (Lever Clamp Design)





Ordering Code	Dimensions(mm)						Insert	Pad	Lever	Shim	Screw	Wrench
	h	b	L	L1	h1	f						
PCBNR/L1616H12	16	16	100	28	16	20	CN**1204	CN-P1203	GGX0514	DPX0606	NLJ0820	L3.0
PCBNR/L2020K12	20	20	125	28	20	25						
PCBNR/L2525M12	25	25	150	28	25	32						
PCBNR/L3232P12	32	32	170	30	32	40						
PCBNR/L2525M16	25	25	150	33	25	32	CN**1606	CN-P1604	GGX0617	DPX0808	NLJ0821	L3.0
PCBNR/L3232P16	32	32	170	33	32	40						
PCBNR/L3232P19	32	32	170	36	32	40	CN**1906	CN-P1904	GGX0820	DPX0909	NLJ1027	L4.0
PCBNR/L4040S19	40	40	250	40	40	50						
PCBNR/L4040S25	40	40	250	47	40	50	CN**2509	CN-P2506	GGX0925	DPX1312	NLJ1237	L5.0
PCBNR/L5050T25	50	50	300	47	50	60						

MCKNR/L





Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressingplate	Screw	Wrench
	h	b	L	L1	h1	f						
MCKNR/L1616H12	16	16	100	32	16	20	CN**1204	CN-M1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MCKNR/L2020K12	20	20	125	32	20	25						
MCKNR/L2525M12	25	25	150	32	25	32						
MCKNR/L3232P12	32	32	170	35	32	40						

PCKNR/L (Lever Clamp Design)




Ordering Code	Dimensions(mm)						Insert	Pad	Lever	Shim	Screw	Wrench
	h	b	L	L1	h1	f						
PCKNR/L1616H12	16	16	100	28	16	20	CN**1204	CN-P1203	GGX0514	DPX0606	NLJ0820	L3.0
PCKNR/L2020K12	20	20	125	28	20	25						
PCKNR/L2525M12	25	25	150	28	25	32						
PCKNR/L3232P12	32	32	170	30	32	40						
PCKNR/L2525M16	25	25	150	33	25	32	CN**1606	CN-P1604	GGX0617	DPX0808	NLJ0821	L3.0
PCKNR/L3232P16	32	32	170	33	32	40						
PCKNR/L3232P19	32	32	170	36	32	40	CN**1906	CN-P1904	GGX0820	DPX0909	NLJ1027	L4.0
PCKNR/L4040S19	40	40	250	40	40	50						
PCKNR/L4040S25	40	40	250	47	40	50	CN**2509	CN-P2506	GGX0925	DPX1312	NLJ1237	L5.0
PCKNR/L5050T25	50	50	300	47	50	60						

MDJNR/L




Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressingplate	Screw	Wrench
	h	b	L	L1	h1	f						
MDJNR/L1616H11	16	16	100	32	16	20	DN**1104	DN-M1104	MXD0513	MYB2214	ST0625	L2.0 L3.0
MDJNR/L2020K11	20	20	125	32	20	25						
MDJNR/L2525M11	25	25	150	32	25	32						
MDJNR/L2020K1504	20	20	125	38	20	25	DN**1504	DN-M1506	MXD0619	MYB2214	ST0626	L2.5 L3.0
MDJNR/L2525M1504	25	25	150	38	25	32						
MDJNR/L3232P1504	32	32	170	38	32	40						
MDJNR/L2020K1506	20	20	125	28	20	25	DN**1506	DN-M1504	MXD0619	MYB2214	ST0626	L2.5 L3.0
MDJNR/L2525M1506	25	25	150	38	25	32						
MDJNR/L3232P1506	32	32	170	38	32	40						

MCMNN





Ordering Code	Stock	Dimensions(mm)						Insert	Pad	Pin	Pressing plate	Screw	Wrench
		h	b	L	L1	h1	f						
MCMNN1616H12	○	16	16	100	35	16	8	CN**1204	CN-M1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MCMNN2020K12	●	20	20	125	35	20	10						
MCMNN2525M12	●	25	25	150	35	25	12.5						
MCMNN3232P12	●	32	32	170	35	32	40						
MCMNN2020K12-100	●	20	20	125	35	20	10						
MCMNN2525M12-100	●	25	25	150	35	25	12.5						
MCMNN3232P12-100	●	32	32	170	35	32	40						

DDJNR/L




Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressing plate	Screw	Spring	Wrench
	h	b	L	L1	h1	f							
DDJNR/L1616H11	16	16	100	32	16	20	DN**1104	DN-D1103	DXD0512	DYB2313	DGD0520	DTN0814	L4.0
DDJNR/L2020K11	20	20	125	32	20	25							
DDJNR/L2525M11	25	25	150	32	25	32							
DDJNR/L2020K1504	20	20	125	38	20	25	DN**1504	DN-D1506	DXD0614	DYB2514	DGD0520	DTN0814	L4.0
DDJNR/L2525M1504	25	25	150	38	25	32							
DDJNR/L3232P1504	32	32	170	38	32	40							
DDJNR/L2020K1506	20	20	125	38	20	25	DN**1506	DN-D1504	DXD0614	DYB2515	DGD0520	DTN0814	L4.0
DDJNR/L2525M1506	25	25	150	38	25	32							
DDJNR/L3232P1506	32	32	170	38	32	40							

PDJNR/L (Lever Clamp Design)



Ordering Code	Dimensions(mm)						Insert	Pad	Lever	Shim	Screw	Wrench
	h	b	L	L1	h1	f						
PDJNR/L1616H11	16	16	100	32	16	20	DN**1104	DN-P1103	GGX0312	DPX0505	NLJ0618	L3.0
PDJNR/L2020K11	20	20	125	32	20	25						
PDJNR/L2525M11	25	25	150	32	25	32						
PDJNR/L2020K1504	20	20	125	38	20	25	DN**1504	DN-P1503	GGX0514	DPX0606	NLJ0820	L3.0
PDJNR/L2525M1504	25	25	150	38	25	32						
PDJNR/L3232P1504	32	32	170	38	32	40						
PDJNR/L2020K1506	20	20	125	28	20	25	DN**1506	DN-P1503	GGX0514D	DPX0606	NLJ0821	L3.0
PDJNR/L2525M1506	25	25	150	38	25	32						
PDJNR/L3232P1506	32	32	170	38	32	40						

MDQNR/L



Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressingplate	Screw	Wrench
	h	b	L	L1	h1	f						
MDQNR/L1616H11	16	16	100	32	16	20	DN**1104	DN-M1104	MXD0513	MYB2214	ST0625	L2.0 L3.0
MDQNR/L2020K11	20	20	125	32	20	25						
MDQNR/L2525M11	25	25	150	32	25	32						
MDQNR/L2020K1504	20	20	125	38	20	25	DN**1504	DN-M1506	MXD0619	MYB2214	ST0626	L2.5 L3.0
MDQNR/L2525M1504	25	25	150	38	25	32						
MDQNR/L3232P1504	32	32	170	38	32	40						
MDQNR/L2020K1506	20	20	125	28	20	25	DN**1506	DN-M1504	MXD0619	MYB2214	ST0626	L2.5 L3.0
MDQNR/L2525M1506	25	25	150	38	25	32						
MDQNR/L3232P1506	32	32	170	38	32	40						

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring


Tool Holder

PDPNN (Lever Clamp Design)




Ordering Code	Dimensions(mm)						Insert	Pad	Lever	Shim	Screw	Wrench
	h	b	L	L1	h1	f						
PDPNN1616H11	16	16	100	32	16	20	DN**1104	DN-P1103	GGX0312	DPX0505	NLJ0618	L3.0
PDPNN2020K11	20	20	125	32	20	25						
PDPNN2525M11	25	25	150	32	25	32						
PDPNN2020K1504	20	20	125	38	20	25	DN**1504	DN-P1503	GGX0514	DPX0606	NLJ0820	L3.0
PDPNN2525M1504	25	25	150	38	25	32						
PDPNN3232P1504	32	32	170	38	32	40						
PDPNN2020K1506	20	20	125	28	20	25	DN**1506	DN-P1503	GGX0514D	DPX0606	NLJ0821	L3.0
PDPNN2525M1506	25	25	150	38	25	32						
PDPNN3232P1506	32	32	170	38	32	40						

DDPNN




Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressingplate	Screw	Spring	Wrench
	h	b	L	L1	h1	f							
DDPNN1616H11	16	16	100	32	16	20	DN**1104	DN-D1103	DXD0512	DYB2313	DGD0520	DTN0814	L4.0
DDPNN2020K11	20	20	125	32	20	25							
DDPNN2525M11	25	25	150	32	25	32							
DDPNN2020K1504	20	20	125	38	20	25	DN**1504	DN-D1506	DXD0614	DYB2514	DGD0520	DTN0814	L4.0
DDPNN2525M1504	25	25	150	38	25	32							
DDPNN3232P1504	32	32	170	38	32	40							
DDPNN2020K1506	20	20	125	38	20	25	DN**1506	DN-D1504	DXD0614	BYB2514	DGD0520	DTN0814	L4.0
DDPNN2525M1506	25	25	150	38	25	32							
DDPNN3232P1506	32	32	170	38	32	40							

MSBNR/L



Ordering Code	Dimensions(mm)						Insert	Pad	Pin	Pressingplate	Screw	Wrench
	h	b	L	L1	h1	f						
MSBNR/L1616H12	16	16	100	34	16	20	SN**1204	SN-M1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MSBNR/L2020K12	20	20	125	34	20	25						
MSBNR/L2525M12	25	25	150	34	25	32						
MSBNR/L3232P12	32	32	170	40	32	40						

PSBNR/L (Lever Clamp Design)



Ordering Code	Dimensions(mm)						Insert	Pad	Lever	Shim	Screw	Wrench
	h	b	L	L1	h1	f						
PSBNR/L1616H12	16	16	100	28	16	20	SN**1204	SN-P1203	GGX0514	DPX0606	NLJ0820	L3.0
PSBNR/L2020K12	20	20	125	28	20	25						
PSBNR/L2525M12	25	25	150	28	25	32						
PSBNR/L3232P12	32	32	170	30	32	40						
PSBNR/L2525M15	25	25	150	33	25	32	SN**1506	SN-P1504	GGX0617	DPX0808	NLJ0821	L3.0
PSBNR/L3232P15	32	32	170	33	32	40						
PSBNR/L3232P19	32	32	170	36	32	40	SN**1906	SN-P1904	GGX0820	DPX0909	NLJ1027	L4.0
PSBNR/L4040S19	40	40	250	40	40	50						
PSBNR/L4040S25	40	40	250	47	40	50	SN**2509	SN-P2506	GGX0925	DPX1312	NLJ1237	L5.0
PSBNR/L5050T25	50	50	300	47	50	60						

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring

Tool Holder


MSKNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MSKNR/L1616H12	SN□□1204□□	16	16	100	36	16	20	SN1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MSKNR/L2020K12		20	20	125	32	20	25					
MSKNR/L2525M12		25	25	150	32	25	32					
MSKNR/L3232P12		32	32	170	32	32	40					


(Lever Clamp Design)

PSKNR/L




Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PSKNR/L2020K12	SN□□1204□□	20	20	125	28	20	25					
PSKNR/L2525M12		25	25	150	30	25	32					
PSKNR/L3232P12		32	32	170	30	32	40					
PSKNR/L2525M15	SN□□1506□□	25	25	150	32	25	32					
PSKNR/L3232P15		32	32	170	32	32	40					
PSKNR/L3232P19	SN□□1906□□	32	32	170	38	32	40					
PSKNR/L4040S19		40	40	250	38	40	50					
PSKNR/L4040S25	SN□□2509□□	40	40	250	46	40	60					
PSKNR/L5050T25		50	50	300	46	50	60					

MSSNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MSSNR/L2020K12	SN□□1204□□	20	20	125	35	20	25	SN1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MSSNR/L2525M12		25	25	150	35	25	32					
MSSNR/L3232P12		32	32	170	38	32	40					

DSSNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DSSNR/L2020K12	SN□□1204□□	20	20	125	38	20	25	SN1204	DXD0614	DYD2413	NLJ0525	TH0814	L4.0
DSSNR/L2525M12		25	25	150	38	25	32						
DSSNR/L3232P12		32	32	170	40	32	40						

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading

End Mill

Drill & Tap

Drilling & Boring

Tool Holder

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring


Tool Holder

PSSNR/L



Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PSSNR/L2020K12	SN□□1204□□	20	20	125	30	20	25	GGX0514	NLJ0820-P	SN1203-P	DX0606	L3.0
PSSNR/L2525M12		25	25	150	30	25	32					
PSSNR/L3232P12		32	32	170	32	32	40					
PSSNR/L2525M15	SN□□1506□□	25	25	150	36	25	32	GGX0617	NLJ0821-P	SN1504-P	DX0808	L3.0
PSSNR/L3232P15		32	32	170	36	32	40					
PSSNR/L3232P19	SN□□1906□□	32	32	170	42	32	40	GGX0820	NLJ1027-P	SN1904-P	DX0909	L4.0
PSSNR/L4040S19		40	40	250	42	40	50					
PSSNR/L4040S25	SN□□2509□□	40	40	250	52	40	50	GGX0925	NLJ1237-P	SN2506-P	DX1312	L5.0
PSSNR/L5050T25		50	50	300	52	50	60					


MSDNN



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MSDNN1616H12	SN□□1204□□	16	16	100	36	16	8	SN1204	MXD0617	MYB1814	ST0625	L2.5 L3.0
MSDNN2020K12		20	20	125	36	20	10					
MSDNN2525M12		25	25	150	36	25	12.5					
MSDNN3232P12		32	32	170	36	32	16					

Lever Clamp Design


PSDNN



Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PSDNN2020K12	SN□□1204□□	20	20	125	30	20	10	GGX0514	NLJ0820-P	SN1203-P	DX0606	L3.0
PSDNN2525M12		25	25	150	30	25	12.5					
PSDNN3232P12		32	32	170	32	32	16					
PSDNN2525M15	SN□□1506□□	25	25	150	36	25	12.5	GGX0617	NLJ0821-P	SN1504-P	DX0808	L3.0
PSDNN3232P15		32	32	170	36	32	16					
PSDNN3232P19	SN□□1906□□	32	32	170	42	32	16	GGX0820	NLJ1027-P	SN1904-P	DX0909	L4.0
PSDNN4040S19		40	40	250	42	40	20					
PSDNN4040S25	SN□□2509□□	40	40	250	52	40	20	GGX0925	NLJ1237-P	SN2506-P	DX1312	L5.0
PSDNN5050T25		50	50	300	52	50	25					


Turning Insert
External Turning Holder
Internal Turning Holder
Grooving & Parting
Milling
Threading
End Mill
Drill & Tap
Drilling & Boring
Tool Holder

MTQNR/L




Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MTQNR/L1616H12	TN□□1604□□	16	16	100	30	16	20	TN1603	MXD0513	MYB1814	ST0625	L2.0 L3.0
MTQNR/L2020K12		20	20	125	30	20	25					
MTQNR/L2525M12		25	25	150	30	25	32					
MTQNR/L3232P12		32	32	170	32	32	40					

MTJNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MTJNR/L1616H16	TN□□1604□□	16	16	100	33	16	20	TN1603	MXD0513	MYB1814	ST0625	L2.0 L3.0
MTJNR/L2020K16		20	20	125	33	20	25					
MTJNR/L2525M16		25	25	150	33	25	32					
MTJNR/L3232P16		32	32	170	37	32	40					


DTJNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DTJNR/L2020K16	TN□□1604□□	20	20	125	30	20	25	TN1603	DXD0512	DYB2513	NLJ0525	TH0814	L4.0
DTJNR/L2525M16		25	25	150	30	25	32						
DTJNR/L3232P16		32	32	170	32	32	40						

Lever Clamp Design

PTJNR/L



Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PTJNR/L1616H16	TN□□1604□□	16	16	100	22	16	20	GGX0310	NLJ0618-P	SN1602-P	DX0505	L3.0
PTJNR/L2020K16		20	20	125	22	20	25					
PTJNR/L2525M16		25	25	150	28	25	32					
PTJNR/L3232P16		32	25	170	32	32	40					

Turning Insert
External Turning Holder
Internal Turning Holder
Grooving & Parting
Milling
Threading
End Mill
Drill & Tap
Drilling & Boring
Tool Holder

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring


Tool Holder

WTJNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
WTJNR/L1616H16	TN□□1604□□	16	16	125	35	16	20	TN1603 WXD0513 WYB1816 NLJ0525 TH0814 L2.5 L4.0					
WTJNR/L2020K16		20	20	125	35	20	25						
WTJNR/L2525M16		25	25	150	35	25	32						
WTJNR/L3232P16		32	32	170	35	32	40						


MTFNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MTFNR/L1616H16	TN□□1604□□	16	16	100	32	16	20	TN1603	MXD0513	MYB1814	ST0625	L2.0 L3.0
MTFNR/L2020K16		20	20	125	32	20	25					
MTFNR/L2525M16		25	25	150	32	25	32					
MTFNR/L3232P16		32	32	170	35	32	40					

External Turning Holder


MTGNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MTGNR/L1616H16	TN□□1604□□	16	16	100	32	16	20	TN1603	MXD0513	MYB1814	ST0625	L2.0 L3.0
MTGNR/L2020K16		20	20	125	32	20	25					
MTGNR/L2525M16		25	25	150	32	25	32					
MTGNR/L3232P16		32	32	170	35	32	40					

Lever Clamp Design

PTGNR/L



Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PTGNR/L1616H16	TN□□1604□□	16	16	100	22	16	20	GGX0310	NLJ0618-P	TN1602-P	DX0505	L3.0
PTGNR/L2020K16		20	20	125	22	20	25					
PTGNR/L2525M16		25	25	150	28	25	32					
PTGNR/L3232P16		32	32	170	32	32	40					

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading

End Mill

Drill & Tap

Drilling & Boring

Tool Holder

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring

Tool Holder


MTENN



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MTENN1616H12	TN□□1604□□	16	16	100	38	16	8	TN1603	MXD0513	MYB1814	ST0625	L2.0 L3.0
MTENN2020K12		20	20	125	38	20	10					
MTENN2525M12		25	25	150	38	25	12.5					
MTENN3232P12		32	32	170	38	32	16					


Lever Clamp Design

PTENR/L




Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PTENR/L2020K16	TN□□1604□□	20	20	125	30	20	20					
PTENR/L2525M16		25	25	150	30	25	25					
								GGX0310 NLJ0618-P TN1602-P DDX0505 L3.0				

WTENN



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
WTENN1616H16	TN□□1604□□	16	16	125	35	16	8	TN1604 WXD0513 WYB1816 NLJ0525 TH0814 L2.5 L4.0					
WTENN2020K16		20	20	125	35	20	10						
WTENN2525M16		25	25	150	35	25	12.5						
WTENN3232P16		32	32	170	38	32	16						

MWLNRL



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MWLNRL1616H06	WN□□0604□□	16	16	100	25	16	20					
MWLNRL2020K06		20	20	125	25	20	25					
MWLNRL2525M06		25	25	150	28	25	32					
MWLNRL1616H08	WN□□0804□□	16	16	100	30	16	20					
MWLNRL2020K08		20	20	125	28	20	25					
MWLNRL2525M08		25	25	150	28	25	32					
MWLNRL3232P08		32	32	170	30	32	40					
								WN0603	MXD0513	MYB1814	ST0625	L2.0 L3.0
								WN0804	MXD0617	MYB1814	ST0625	L2.5 L3.0

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring

Tool Holder

DWLNR/L




Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DWLNR/L2020K08	WN□□0804□□	20	20	125	36	20	25						
DWLNR/L2525M08		25	25	150	36	25	32						
DWLNR/L3232P08		32	32	170	36	32	40						

WN0804 DXD0614 DYB2413 NLJ0525 TH0814 L4.0

Lever Clamp Design

PWLNR/L




Model	Insert	Dimension						Lever	Screw	Pad	Shim	Wrench
		h	b	L	L1	h1	f					
PWLNR/L1616H06	WN□□0604□□	16	16	100	20	16	20					
PWLNR/L2020K06		20	20	125	25	20	25					
PWLNR/L2525M06		25	25	150	25	25	32					
PWLNR/L1616H08	WN□□0804□□	16	16	100	26	16	20					
PWLNR/L2020K08		20	20	125	26	20	25					
PWLNR/L2525M08		25	25	150	26	25	32					
PWLNR/L3232P08		32	25	170	30	32	40					

GGX0310 NLJ0618-P WN0602-P DX0505 L3.0


GGX0514 NLJ0820-P WN0803-P DX0606 L3.0

MWWNN



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MWWNN2020K08	WN□□0804□□	20	20	125	35	20	10	WN0804	MXD0617	MYB1814	ST0625	L2.5
MWWNN2525M08		25	25	150	35	25	12.5					L3.0

MDJNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MDJNR/L1616H11	DN□□1104□□	16	16	100	32	16	20	DN1102	MXD0513	MYB1814	ST0625	L2.0
MDJNR/L2020K11		20	20	125	32	20	25					L3.0
MDJNR/L2525M11		25	25	150	32	25	32					
MDJNR/L2020K15	DN□□1504□□ DN□□1506□□	20	20	125	38	20	25	DN1504 DN1506	MXD0619	MYB2214	ST0625	L2.5
MDJNR/L2525M15		25	25	150	38	25	32					L3.0
MDJNR/L3232P15		32	32	170	38	32	40					

* Please specify the insert 1504 or 1506

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drilling & Boring

Tool Holder

DDJNR/L




Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DDJNR/L2020K1504	DN□□1504□□	20	20	125	41	20	25	DN1504					
DDJNR/L2525M1504		25	25	150	41	25	32						
DDJNR/L3232P1504		32	32	170	41	32	40						
DDJNR/L2020K1506	DN□□1506□□	20	20	125	41	20	25						
DDJNR/L2525M1506		25	25	150	41	25	32						
DDJNR/L3232P1506		32	32	170	41	32	40						
DDJNR/L2020K15	DN□□1504□□ DN□□1506□□	20	20	125	41	20	25	DN1506 DN1504					
DDJNR/L2525M15		25	25	150	41	25	32						
DDJNR/L3232P15		32	32	170	41	32	40						

DXD0614 DYB2813 NLJ0525 TH0814 L4.0

* Please specify the insert 1504 or 1506

DDQNR/L




Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DDQNR/L2020K15	DN□□1504□□ DN□□1506□□	20	20	125	38	20	25	DN1506 DN1504					
DDQNR/L2525M15		25	25	150	35	25	32						
DDQNR/L3232P15		32	32	170	38	32	40						

DXD0614 DYB2813 NLJ0525 TH0814 L4.0


* Please specify the insert 1504 or 1506

MVJNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MVJNR/L1616H16	VN□□1604□□	16	16	100	36	16	20	VN1603	MXD0513	MYB2614	ST0625	L2.5 L3.0
MVJNR/L2020K16		20	20	125	36	20	25					
MVJNR/L2525M16		25	25	150	42	25	32					
MVJNR/L3232P16		32	32	170	45	32	40					

DVJNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DVJNR/L1616H16	VN□□1604□□	16	16	100	45	16	20	VN1603	DXD0512	DYB3113	NLJ0525	TH0814	L4.0
DVJNR/L2020K16		20	20	125	45	20	25						
DVJNR/L2525M16		25	25	150	45	25	32						
DVJNR/L3232P16		32	32	170	48	32	40						

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drill & Boring


Tool Holder

DVVNN




Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DVVNN2020K16	VN□□1604□□	20	20	125	48	20	10	VN1603 DXD0512 DYB3113 NLJ0525 TH0814 L4.0					
DVVNN2525M16		25	25	150	48	25	12.5						
DVVNN3232P16		32	25	170	48	32	16						

DVQNR/L




Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DVQNR/L2020K16	VN□□1604□□	20	20	125	44	20	25	VN1603 DXD0512 DYB3113 NLJ0525 TH0814 L4.0					
DVQNR/L2525M16		25	25	150	44	25	32						
DVQNR/L3232P16		32	32	170	46	32	40						

DVUNR/L



Model	Insert	Dimension						Pad	Pin	Press Plate	Screw	Spring	Wrench
		h	b	L	L1	h1	f						
DVUNR/L2020K16	VN□□1604□□	20	20	125	38	20	30						
DVUNR/L2525M16		25	25	150	40	25	32						
DVUNR/L3232P16		32	32	170	40	32	40						
								VN1603 DXD0512 DYB3113 NLJ0525 TH0814 L4.0					

MHSNR/L



Model		Dimension						Pad	Pin	Press Plate	Screw	Wrench
		h	d	L	L1	h1	f					
MHSNR/L2020K06	HN□□0604□□	20	20	125	29	20	25					
MHSNR/L2525M06		25	25	150	29	25	32					
MHSNR/L3232P06		32	32	170	29	32	40					
								HN0604 MXD0617 MYB1814 ST0625 L2.5 L3.0				

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drill & Tap

Drill & Boring


Tool Holder


SCMCN-100




型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw	扳 手 Wrench
SCMCN 1010 H06-100	CC□□0602□□	10	10	100	12	10	5	M2.5*6	T-8
SCMCN 1212 H09-100	CC□□09T3□□	12	12	100	16	12	6	M3.5*8	T-15
SCMCN 1616 H09-100	CC□□09T3□□	16	16	100	18	16	8	M3.5*8	T-15
SCMCN 2020 K12-100	CC□□1204□□	20	20	125	22	20	10	M5*12	T-20
SCMCN 2525 M12-100	CC□□1204□□	25	25	150	28	25	12.5	M5*12	T-20

SCMCN




型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw	扳 手 Wrench
SCMCN 1010 H06	CC□□0602□□	10	10	100	15	10	5	M2.5*6	T-8
SCMCN 1212 H09	CC□□09T3□□	12	12	100	20	12	6	M3.5*8	T-15
SCMCN 1616 H09	CC□□09T3□□	16	16	100	20	16	8	M3.5*8	T-15
SCMCN 2020 K12	CC□□1204□□	20	20	125	22	20	10	M5*12	T-20
SCMCN 2525 M12	CC□□1204□□	25	25	150	28	25	12.5	M5*12	T-20

SCBCR/L




型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw	扳 手 Wrench
SCBCR/L 2020 K09	CC□□09T3□□	20	20	125	22	20	20	M3.5*8	T-15
SCBCR/L 2525 M09	CC□□09T3□□	25	25	150	22	25	25	M3.5*8	T-15
SCBCR/L 2020 K12	CC□□1204□□	20	20	125	22	20	20	M5*12	T-20
SCBCR/L 2525 M12	CC□□1204□□	25	25	150	22	25	25	M5*12	T-20

SCLCR/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SCLCR/L 1010 H06	CC□□0602□□	10	10	100	15	10	12	M2.5*6	T-8
SCLCR/L 1212 H06		12	12	100	15	12	16		
SCLCR/L 1212 H09		12	12	100	20	12	16		
SCLCR/L 1616 H09	CC□□09T3□□	16	16	100	20	16	20	M3.5*8	T-15
SCLCR/L 2020 K09		20	20	125	22	20	25		
SCLCR/L 2525 M09		25	25	150	22	25	32		
SCLCR/L 2020 K12	CC□□1204□□	20	20	125	22	20	25	M5*12	T-20
SCLCR/L 2525 M12		25	25	150	28	25	32		
SCLCR/L 3232 P12		32	32	170	28	32	40		

SCKCR/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SCKCR/L 1212 H09	CC□□09T3□□	12	12	100	20	12	16	M3.5*8	T-15
SCKCR/L 1616 H09		16	16	100	22	16	20		
SCKCR/L 2020 K09		20	20	125	22	20	25		
SCKCR/L 2525 M09	CC□□1204□□	25	25	150	22	25	32	M5*12	T-20
SCKCR/L 2020 K12		20	20	125	22	20	25		
SCKCR/L 2525 M12		25	25	150	22	25	32		
SCKCR/L 3232 P12		32	32	170	28	32	40		

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drilling

Boring


Tool Holder

SDFCR/L




型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SDFCR/L 1212 H07	DC□□11T3□□	12	12	100	16	12	16	M2.5*6	T-8
SDFCR/L 1616 H11		16	16	100	18	16	20		
SDFCR/L 2020 K11		20	20	125	22	20	25		
SDFCR/L 2525 M11		25	25	150	22	25	32		
SDFCR/L 3232 P11		32	32	170	25	32	40		

SDJCR/L




型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SDJCR/L 1010 H07	DC□□11T3□□	10	10	100	16	10	12	M2.5*6	T-8
SDJCR/L 1212 H07		12	12	100	16	12	16		
SDJCR/L 1616 H07		16	16	100	20	16	20		
SDJCR/L 1212 H11		12	12	100	22	12	16		
SDJCR/L 1616 H11		16	16	100	22	16	20		
SDJCR/L 2020 K11	DC□□11T3□□	20	20	125	25	20	25	M3.5*8	T-15
SDJCR/L 2525 M11		25	25	150	32	25	32		
SDJCR/L 3232 P11		32	32	170	32	32	40		

SDACR/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SDACR/L 0808 H07	DC□□0702□□	8	8	100	15	8	8	M2.5*6	T-8
SDACR/L 1010 H07		10	10	100	15	10	10		
SDACR/L 1212 H07		12	12	100	15	12	12		
SDACR/L 1212 H11		12	12	100	22	12	12		
SDACR/L 1616 H11	DC□□11T3□□	16	16	100	22	16	16	M3.5*8	T-15
SDACR/L 2020 K11		20	20	125	22	20	20		
SDACR/L 2525 M11		25	25	150	22	25	25		

SDQCR/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SDQCR/L 1010 H07	DC□□0702□□	10	10	100	16	10	12	M2.5*6	T-8
SDQCR/L 1212 H07		12	12	100	16	12	16		
SDQCR/L 1212 H11		12	12	100	18	12	16		
SDQCR/L 1616 H11	DC□□11T3□□	16	16	100	22	16	20	M3.5*8	T-15
SDQCR/L 2020 K11		20	20	125	22	20	25		
SDQCR/L 2525 M11		25	25	150	22	25	32		

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drilling

Boring


Tool Holder

SSSCR/L




型号 Model		h	b	L	L1	h1	f	螺丝 Screw	扳手 Wrench
SSSCR/L 1212 H09		12	12	100	20	12	16		
SSSCR/L 1616 H09	SC□□09T3□□	16	16	100	22	16	20	M3.5*8	T-15
SSSCR/L 2020 K09		20	20	125	25	20	25		
SSSCR/L 2020 K12	SC□□1204□□	20	20	125	25	20	25	M5*12	T-20
SSSCR/L 2525 M12		25	25	150	30	25	32		

SSDCN



型号 Model		h	b	L	L1	h1	f	螺丝 Screw	扳手 Wrench
SSDCN 1212 H09		12	12	100	16	12	6		
SSDCN 1616 H09	SC□□09T3□□	16	16	100	20	16	8	M3.5*8	T-15
SSDCN 2020 K09		20	20	125	20	20	10		
SSDCN 2020 K12	SC□□1204□□	20	20	125	22	20	10	M5*12	T-20
SSDCN 2525 M12		25	25	150	25	25	12.5		



型 号 Model		h	b	L	L1	h1	f	螺丝 Screw 	扳 手 Wrench 
SDNCN 0808 K07	DC□□0702□□	8	8	125	16	8	4	M2.5*6	T-8
SDNCN 1010 K07		10	10	125	16	10	5		
SDNCN 1212 K07		12	12	125	18	12	6		
SDNCN 1212 H11		12	12	100	22	12	6		
SDNCN 1616 H11	DC□□11T3□□	16	16	100	27	16	8	M3.5*8	T-15
SDNCN 2020 K11		20	20	125	27	20	10		
SDNCN 2525 M11		25	25	150	27	25	12.5		

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading

End Mill


Drill & Tap

Drill & Boring

Tool Holder


External Turning Holder(Screw type)

SSKCR/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SSKCR/L 1212 H09	SC□□09T3□□	12	12	100	16	12	16	M3.5*8	T-15
SSKCR/L 1616 H09		16	16	100	18	16	20		
SSKCR/L 2020 K09		20	20	125	22	20	25		
SSKCR/L 2020 K12	SC□□1204□□	20	20	125	22	20	25	M5*12	T-20
SSKCR/L 2525 M12		25	25	150	30	25	32		

SSBCR/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SSBCR/L 1212 H09	SC□□09T3□□	12	12	100	16	12	12	M3.5*8	T-15
SSBCR/L 1616 H09		16	16	100	20	16	16		
SSBCR/L 2020 K09		20	20	125	20	20	20		
SSBCR/L 2020 K12	SC□□1204□□	20	20	125	20	20	20	M5*12	T-20
SSBCR/L 2525 M12		25	25	150	25	25	25		

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drilling

Boring


Tool Holder

STWCR/L



型号 Model		h	b	L	L1	h1	f	螺丝 Screw 	扳手 Wrench 
STWCR/L 1212 H11	TC□□1102□□	12	12	100	18	12	16	M2.5*6	T-8
STWCR/L 1616 H11		16	16	100	20	16	20		
STWCR/L 2020 K16		20	20	125	23	20	25		
STWCR/L 2525 M16	TC□□16T3□□	25	25	150	30	25	32	M3.5*8	T-15
STWCR/L 3232 P16		32	32	170	30	32	40		

STFCR/L



型号 Model		h	b	L	L1	h1	f	螺丝 Screw 	扳手 Wrench 
STFCR/L 1212 H11	TC□□1102□□	12	12	100	18	12	16	M2.5*6	T-8
STFCR/L 1616 H11		16	16	100	20	16	20		
STFCR/L 2020 K16		20	20	125	23	20	25		
STFCR/L 2525 M16	TC□□16T3□□	25	25	150	30	25	32	M3.5*8	T-15
STFCR/L 3232 P16		32	32	170	30	32	40		



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
STGCR/L 1212 H11	TC□□1102□□	12	12	100	18	12	16	M2.5*6	T-8
STGCR/L 1616 H11		16	16	100	20	16	20		
STGCR/L 2020 K11		20	20	125	23	20	25		
STGCR/L 2525 M16	TC□□16T3□□	25	25	150	30	25	32	M3.5*8	T-15
STGCR/L 3232 P16		32	32	170	30	32	40		

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drilling

Boring


Tool Holder

SVVC(B)N




型号 Model		h	b	L	L1	h1	f	螺丝 Screw	扳手 Wrench
SVVC(B)N 1616 H11	VC(B)□□1103□□	16	16	100	28	16	20	M2.5*6	T-8
SVVC(B)N 2020 K11		20	20	125	35	20	25		
SVVC(B)N 2525 M11		25	25	150	35	25	32		
SVVC(B)N 1616 H16	VC(B)□□1604□□	16	16	100	32	16	20	M3.5*8	T-15
SVVC(B)N 2020 K16		20	20	125	35	20	25		
SVVC(B)N 2525 M16		25	25	150	38	25	32		
SVVC(B)N 3232 P16		32	32	170	45	32	40		

SVJC(B)R/L




型号 Model		h	b	L	L1	h1	f	螺丝 Screw	扳手 Wrench
SVJC(B)R/L 1212 H11	VC(B)□□1103□□	12	12	100	25	12	16	M2.5*6	T-8
SVJC(B)R/L 1616 H11		16	16	100	28	16	20		
SVJC(B)R/L 2020 K11		20	20	125	35	20	25		
SVJC(B)R/L 2525 M11	VC(B)□□1604□□	25	25	150	35	25	32	M3.5*8	T-15
SVJC(B)R/L 1616 H16		16	16	100	32	16	20		
SVJC(B)R/L 2020 K16		20	20	125	35	20	25		
SVJC(B)R/L 2525 M16		25	25	150	38	25	32		
SVJC(B)R/L 3232 P16		32	32	170	45	32	40		

SVQC(B)R/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SVQC(B)R/L 1616 H11	VC(B)□□1103□□	16	16	100	35	16	20	M2.5*6	T-8
SVQC(B)R/L 2020 K11		20	20	125	35	20	25		
SVQC(B)R/L 1616 H16		25	25	150	35	16	20		
SVQC(B)R/L 2020 K16		20	20	125	35	20	25		
SVQC(B)R/L 2525 M16	VC(B)□□1604□□	25	25	150	35	25	32	M3.5*8	T-15
SVQC(B)R/L 3232 P16		32	32	170	35	32	40		

SVUC(B)R/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SVUC(B)R/L 1616 H11	VC(B)□□1103□□	16	16	100	16	20	20	M2.5*6	T-8
SVUC(B)R/L 2020 K11		20	20	125	16	20	30		
SVUC(B)R/L 2020 K16	VC(B)□□1604□□	20	20	125	16	20	30	M3.5*8	T-15
SVUC(B)R/L 2525 M16		25	25	150	16	25	35		

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drilling

Boring

Tool Holder


SRAC(P)R/L



型号 Model		h	b	L	L1	h1	f	螺丝 Screw 	扳手 Wrench 
SRAC(P)R/L 1616 H06	RC(P)□□0602□□	16	16	100	15	16	16	M2.5*6	T-8
SRAC(P)R/L 2020 K06		20	20	125	20	20	20		
SRAC(P)R/L 2525 M06		25	25	150	20	25	25		
SRAC(P)R/L 1616 H08	RC(P)□□0803□□	16	16	100	15	16	16	M3*10	T-10
SRAC(P)R/L 2020 K08		20	20	125	20	20	20		
SRAC(P)R/L 2525 M08		25	25	150	20	25	25		
SRAC(P)R/L 3232 P08	RC(P)□□1004□□	32	32	170	25	32	32	M3.5*10	T-15
SRAC(P)R/L 1616 H10		16	16	100	15	16	16		
SRAC(P)R/L 2020 K10		20	20	125	20	20	20		
SRAC(P)R/L 2525 M10	RC(P)□□1204□□	25	25	150	20	25	25	M3.5*10	T-15
SRAC(P)R/L 3232 P10		32	32	170	25	32	32		
SRAC(P)R/L 4040 R10		40	40	200	32	40	40		
SRAC(P)R/L 2020 K12	RC(P)□□1606□□	20	20	125	20	20	20	M5*12	T-20
SRAC(P)R/L 2525 M12		25	25	150	20	25	25		
SRAC(P)R/L 3232 P12		32	32	170	25	32	32		
SRAC(P)R/L 4040 R12	RC(P)□□2006□□	40	40	200	32	40	40	M6*15	T-20
SRAC(P)R/L 2525 M16		25	25	150	20	25	25		
SRAC(P)R/L 3232 P16		32	32	170	25	32	32		
SRAC(P)R/L 4040 R16		40	40	200	32	40	40		
SRAC(P)R/L 3232 P20		32	32	170	25	32	32		
SRAC(P)R/L 4040 R20		40	40	200	32	40	40		

* According to the Insert select right holder

SRDC(P)N



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SRDC(P)N 1616 H06	RC(P)□□0602□□	16	16	100	15	16	16	M2.5*6	T-8
SRDC(P)N 2020 K06		20	20	125	15	20	20		
SRDC(P)N 2525 M06		25	25	150	15	25	25		
SRDC(P)N 1616 H08	RC(P)□□0803□□	16	16	100	16	16	16	M3*10	T-10
SRDC(P)N 2020 K08		20	20	125	16	20	20		
SRDC(P)N 2525 M08		25	25	150	16	25	25		
SRDC(P)N 3232 P08	RC(P)□□1004□□	32	32	170	16	32	32	M3.5*10	T-15
SRDC(P)N 1616 H10		16	16	100	20	16	16		
SRDC(P)N 2020 K10		20	20	125	20	20	20		
SRDC(P)N 2525 M10	RC(P)□□1204□□	25	25	150	28	25	25	M3.5*10	T-15
SRDC(P)N 3232 P10		32	32	170	20	32	32		
SRDC(P)N 4040 R10		40	40	200	20	40	40		
SRDC(P)N 2020 K12	RC(P)□□1606□□	20	20	125	28	20	20	M5*12	T-20
SRDC(P)N 2525 M12		25	25	150	28	25	25		
SRDC(P)N 3232 P12		32	32	170	28	32	32		
SRDC(P)N 4040 R12	RC(P)□□2006□□	40	40	200	32	40	40	M6*15	T-20
SRDC(P)N 2525 M16		25	25	150	32	25	25		
SRDC(P)N 3232 P16		32	32	170	32	32	32		
SRDC(P)N 4040 R16	RC(P)□□2006□□	40	40	200	40	40	40	M6*15	T-20
SRDC(P)N 3232 P20		32	32	170	40	32	32		
SRDC(P)N 4040 R20		40	40	200	40	40	40		

* According to the Insert select right holder

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading

End Mill

Drill & Tap

Drill & Boring

Tool Holder

Turning Insert

External Turning Holder

Internal Turning Holder

Grooving & Parting

Milling

Threading


End Mill

Drilling

Boring

Tool Holder

SRGC(P)R/L



型 号 Model		h	b	L	L1	h1	f	螺 丝 Screw 	扳 手 Wrench 
SRGC(P)R/L 1616 H06	RC(P)□□0602□□	16	16	100	15	16	20	M2.5*6	T-8
SRGC(P)R/L 2020 K06		20	20	125	15	20	25		
SRGC(P)R/L 2525 M06		25	25	150	15	25	32		
SRGC(P)R/L 1616 H08	RC(P)□□0803□□	16	16	100	16	16	20	M3*10	T-10
SRGC(P)R/L 2020 K08		20	20	125	16	20	25		
SRGC(P)R/L 2525 M08		25	25	150	16	25	32		
SRGC(P)R/L 3232 P08	RC(P)□□10T3□□	32	32	170	16	32	40	M3.5*10	T-15
SRGC(P)R/L 1616 H10		16	16	100	20	16	20		
SRGC(P)R/L 2020 K10		20	20	125	20	20	25		
SRGC(P)R/L 2525 M10	RC(P)□□1204□□	25	25	150	20	25	32	M3.5*10	T-15
SRGC(P)R/L 3232 P10		32	32	170	20	32	40		
SRGC(P)R/L 4040 R10		40	40	200	20	40	50		
SRGC(P)R/L 2020 K12	RC(P)□□1606□□	20	20	125	28	20	25	M5*12	T-20
SRGC(P)R/L 2525 M12		25	25	150	28	25	32		
SRGC(P)R/L 3232 P12		32	32	170	28	32	40		
SRGC(P)R/L 4040 R12	RC(P)□□2006□□	40	40	200	28	40	50	M6*15	T-20
SRGC(P)R/L 2525 M16		25	25	150	32	25	32		
SRGC(P)R/L 3232 P16		32	32	170	32	32	40		
SRGC(P)R/L 4040 R16	RC(P)□□2006□□	40	40	200	32	40	50	M6*15	T-20
SRGC(P)R/L 3232 P20		32	32	170	40	32	40		
SRGC(P)R/L 4040 R20		40	40	200	40	40	50		

* According to the Insert select right holder